# Thermo Scientific Nalgene 230 mm Desiccator Plate

### ceramic metal



#### Nalgene™ 230 mm Desiccator plate is guaranteed unbreakable.

Desiccator plate is corrosion resistant and has greater resistance to thermal shock than porcelain.

#### details

- 230 mm diameter fits the Nalgene Classic Dessicator (Cat. No. 5311-0250), as well as the 250 mm Nalgene Blue Desiccators (Cat. Nos. 5309-0250 and 5310-0250)
- With numbered quadrants for easy location of crucibles and other containers
- Has six holes in each quadrant and a 3 mm center hole to enhance airflow and drying efficiency
- Autoclavable

Ordering Information: Individually packaged.

#### Nalgene 230 mm Desiccator Plate

Cat. No.	0.D., mm (in.)	No. per Pack	No. per Case
5312-0230	230 (9-1/16)	1	6

## Thermo Scientific Nalgene Autoclavable Desiccators

blue polypropylene body, clear polycarbonate cover



Nalgene™ Desiccators have a robust polypropylene body and are highly resistant to all solid desiccants.

These desiccators are much lighter than glass equivalents, making them easy to move around the lab. Desiccators have a transparent PC cover for easily viewing contents.

#### details

- Clear polycarbonate cover has recessed rim to keep grease off benchtop when cover is set down
- No gasket required, only grease is needed
- Small desiccator (Cat. No. 5315-0150) comes with a 140 mm aluminum desiccator plate
- Autoclavable

Alerts: Do not use concentrated acids as desiccants.

Notes: Repeated autoclaving will reduce the life of the product.

#### Nalgene Autoclavable Desiccators

Cat. No.	Exterior H, cm (in.)	Inside Dia., cm (in.)	0.D., cm (in)	Max Clearance Above Plate, cm (in)	No. per Pack	No. per Case
5309-0250	26 (10-1/4)	25 (9-7/8)	33 (13)	14.3 (5-5/8)	1	4
5315-0150	15 (5-15/16)	15 (5-15/16)	18 (7-1/8)	8.7 (3-7/16)	1	6